Version 1.0

Revision Date 05/26/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Bolt Cinnamon Sunset 30D Mtrd
Material number	:	A07745
Manufacturer or supplier's	detai	ils
Company	:	Lagasse, Inc.
Address	:	One Parkway North Deerfield, IL 60015
Telephone	:	800-989-7847
Emergency telephone	numb	ers
For SDS Information		: 800-989-7847
For a Medical Emergen	су	:
For a Transportation Emergency		: CHEMTEL 800-255-3924

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

# **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after use.</li> </ul>

ersion 1.0	Revision Date 05/26/2015	Print Date 05/31/201
	<ul> <li>P261 Avoid breathing dust/ fume/ gas P264 Wash skin thoroughly after han P271 Use only outdoors or in a well-v P280 Wear eye protection/ face prote <b>Response:</b></li> <li>P304 + P340 + P312 IF INHALED: R and keep at rest in a position comfort POISON CENTER or doctor/ physicia P305 + P351 + P338 IF IN EYES: Rin for several minutes. Remove contact easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: attention.</li> <li><b>Storage:</b></li> <li>P405 Store locked up.</li> <li>P410 + P412 Protect from sunlight. D temperatures exceeding 50 °C/ 122 ° P403 Store in a well-ventilated place.</li> <li><b>Disposal:</b></li> <li>P501 Dispose of contents/container in regulation.</li> </ul>	dling. ventilated area. ection. emove victim to fresh ai able for breathing. Call an if you feel unwell. hse cautiously with wate lenses, if present and Get medical advice/ to not expose to F.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present at equal to 0.1% is identified as probable, p human carcinogen by IARC.	
ACGIH	No component of this product present at equal to 0.1% is identified as a carcinogo carcinogen by ACGIH.	
OSHA	No component of this product present at equal to 0.1% is identified as a carcinoge	
NTP	carcinogen by OSHA. No component of this product present at equal to 0.1% is identified as a known or by NTP.	levels greater than or anticipated carcinogen

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 10 - < 20

# **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	: Consult a physician after significant exposure.

Version 1.0	Revision Date 05/26/2015	Print Date 05/31/2015
	If unconscious place in recovery po advice.	sition and seek medical
In case of skin contact	<ul> <li>If on clothes, remove clothes.</li> <li>If skin irritation persists, call a physi</li> <li>Wash off immediately with plenty of minutes.</li> <li>Wash contaminated clothing before</li> </ul>	water for at least 15
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp In case of contact, immediately flus for at least 15 minutes.	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital.	n. ected to do so by a

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	cohol-resistant foam arbon dioxide (CO2) ry chemical ⁄ater spray jet	
Unsuitable extinguishing media	igh volume water jet	
Hazardous combustion products Specific extinguishing methods	arbon dioxide (CO2) arbon monoxide moke se extinguishing measures that are rcumstances and the surrounding e	
Further information	or safety reasons in case of fire, can eparately in closed containments. se a water spray to cool fully closed	
Special protective equipment for firefighters	ecessary.	tus for firefighting if

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains.

SAFETY DATA SHEET BOLT CINNAMON SUNSE Version 1.0	ET 30D METERED REFILL Revision Date 05/26/2015	<b>(BLT 862)</b> Print Date 05/31/2015
	Prevent further leakage or spillage if s If the product contaminates rivers and respective authorities.	
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and container for disposal. Soak up with inert absorbent material acid binder, universal binder, sawdust	(e.g. sand, silica gel,

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Always replace cap after use. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents Store and keep away from bases and alkalies.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH

Version 1.0

#### Revision Date 05/26/2015

(BLT 862)

TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
TWA	1,000 ppm 1,800 mg/m3	OSHA P0

# **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

# Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	<ul> <li>When using do not eat or drink.</li> <li>When using do not smoke.</li> <li>Wash hands before breaks and at the end of workday.</li> </ul>

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available
рН	: not applicable
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	: not applicable

# SAFETY DATA SHEET BOLT CINNAMON SUNSET 30D METERED REFILL Version 1.0 Revision Date 05/26/2015

Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: partly soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 36.56 kJ/g

# SECTION 10. STABILITY AND REACTIVITY

Reactivity :	Stable
Chemical stability :	Stable under normal conditions.
Possibility of hazardous reactions	No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid :	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials :	Bases Acids Oxidizing agents
Hazardous decomposition : products	Carbon monoxide Carbon dioxide (CO2)

# SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

# Components:

acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
<b>propane:</b> Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

## Skin corrosion/irritation

## Product:

Remarks: May cause skin irritation in susceptible persons.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

no data available

# Germ cell mutagenicity

no data available

Carcinogenicity

no data available

#### Reproductive toxicity

no data available

acetone: propane:

#### STOT - single exposure

no data available

# STOT - repeated exposure

no data available

## Aspiration toxicity

no data available

Version 1.0

Revision Date 05/26/2015

# Further information

# Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

no data available

no data available Bioaccumulative potential

#### Product:

Partition coefficient: n-	: Remarks: no data available
octanol/water	

#### Mobility in soil

no data available

#### Other adverse effects

# no data available

Product:

Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

Version 1.0

Revision Date 05/26/2015

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	<ul> <li>Fire Hazard</li> <li>Sudden Release of Pressure Hazard</li> <li>Acute Health Hazard</li> </ul>
SARA 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:


Version 1.0	Revision Date 05/26/2015	Print Date 05/31/2015	
TSCA	On TSCA Inventory		
DSL	This product contains the following components that are not on the Canadian DSL nor NDSL.		
AICS	Not in compliance with the inventory		
NZIOC	Not in compliance with the inventory		
PICCS	Not in compliance with the inventory		
IECSC	Not in compliance with the inventory		

(BLT 862)

## Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

# **SECTION 16. OTHER INFORMATION**



OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated.</li> <li>Causes serious eye irritation. May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	:
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection.</li> <li>Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.</li> <li>Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Revision Date: 05/26/2015	Version:	1.0
	Revision Date:	05/26/2015

Revision Date 05/26/2015

Version 1.0

Print Date: 05/31/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.