



BPG INTERNATIONAL
Wilmington DE 19806
Tel: (302) 656-7600
Fax: (302) 656-7602

MATERIAL SAFETY DATA SHEET Bright Air™ Liquid Odor Eliminator

Date: 2/18/2010
Supersedes: None

PRODUCT IDENTIFICATION:

PRODUCT NAME:	Bright Air™ Liquid Odor Eliminator All Scents (Lavender & Vanilla, Fresh Linen, Crisp Melon)
SYNONYMS:	Liquid Drop Air Freshener
DESCRIPTION:	Plastic container containing fragranced liquid
MOLECULAR FORMULA:	Mixture
MOLECULAR WEIGHT:	Mixture

COMPOSITION:

<u>Component</u>	<u>C.A.S. #</u>	<u>Weight %</u>
Plastic parts		25%
Fragrance oil	Mixture	75%

HAZARDOUS COMPONENTS:

<u>Component</u>	<u>C.A.S. #</u>	<u>Weight %</u>	<u>TWA</u>	<u>REFERENCE</u>
None				OSHA PEL

NFPA HAZARD CLASSIFICATION:

HEALTH;	2	0 = LEAST
FLAMMABILITY;	2	1 = SLIGHT
REACTIVITY:	0	2 = MODERATE
		3 = HIGH
		4 = EXTREME

HEALTH HAZARD INFORMATION:

Over exposure to product is not likely to cause acute toxic effects. No exposure limits established. This product is a mixture for which no specific health hazards data exists. One or more of the components contained in this product may present the following health effects:

Liquid may be irritating to skin and eyes
Vapor in high concentrations may cause anesthetic effects
Maybe harmful if swallowed
Repeated contact may cause allergic reactions

**EMERGENCY AND
FIRST AID
PROCEDURES:**

EYE CONTACT:	Immediately irrigate with water for 15 minutes. Obtain medical attention if irritation persists.
SKIN CONTACT:	Wash affected area with soap and water
INHALATION:	Remove person to fresh air. If ill affects persist, seek medical assistance
SWALLOWING:	Rinse mouth with water. Take milk or water to dilute. Seek medical assistance.

**EXPOSURE CONTROL
METHODS:**

Engineering controls are not necessary if good hygiene practices are followed. Before eating, drinking or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. For instances where eye or face contact can occur, eye protection is recommended. Where exposures are below the Permissible Exposure Limit (PEL) or THRESHOLD WEIGHTED AVERAGE (TWA), no respiratory protection is required. Where exposures exceed the PEL/TWA, use respirator approved by NIOSH for the material and level of exposure. See "GUIDE TO INDUSTRIAL RESPIRATORY PROTECTION" (NIOSH).

**FIRE AND EXPLOSION
HAZARD
INFORMATION:**

FLASH POINT:	> 145 F
METHOD:	ASTM 6450 CONTINUOUS CLOSED CUP FLASH POINT (CCCFP)
FIRE FIGHTING:	Use Carbon Dioxide or dry chemical to extinguish fire. Wear self contained positive pressure breathing apparatus.

REACTIVITY DATA:

STABILITY:	Stable. Does not react with water
CONDITIONS TO AVOID:	Avoid excessive heat and open flames
POLYMERIZATION CONDITION TO AVOID:	Will not occur
INCOMPATIBLE MATERIALS:	Strong Oxidizing materials
HAZARDOUS DECOMPOSITION PRODUCTS:	Burning produces Carbon Monoxide, Carbon Dioxide and Smoke

**PHYSICAL
PROPERTIES:**

APPEARANCE:	Colored Liquid
PHYSICAL STATE:	Liquid
ODOR:	Varies according to fragrance
MELTING POINT:	NA
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	< 1.0
VAPOR DENSITY:	> 1
% VOLATILE (BY Volume):	75%
pH:	Neutral
WATER SOLUBILITY:	NA

SPILL, LEAK AND DISPOSAL PROCEDURES:**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

ELIMINATE ALL SOURCES OF IGNITION. Ventilate area. Cover spills with absorbent material; sweep up and place in waste disposal container

WASTE DISPOSAL METHOD:Incineration or landfill in accordance with local, state and federal regulations

D.O.T. SHIPPING INFORMATION:**PROPER SHIPPING NAME:**

NA

HAZARD CLASS:

NA

UN/NA:

NA

D.O.T. HAZARDOUS SUBSTANCES:

NA

D.O.T. LABEL REQUIRED:

NA

TSCA INFORMATION:This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C.

ENVIRONMENTAL PRECAUTIONS:NA

SPECIAL PRECAUTIONS:KEEP AWAY FROM DIRECT HEAT AND FLAME.
KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.
USE WITH ADEQUATE VENTILATION

This information is given without any warranty or representation. The information in this MSDS was compiled from current and reliable sources. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.
