



SAFETY DATA SHEET

Revision date: 02-Jan-2015

Version: 2.0

Page 1 of 13

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: ChapStick Classic Original (without Padimate-O)

Trade Name: ChapStick
Compound Number: WH-1485-0001
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Consumer healthcare product used for skin care

Details of the Supplier of the Safety Data Sheet

Pfizer Inc
1 Giralda Farms
Madison, NJ 07940

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not required

Other Hazards

No data available

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 2 of 13

Revision date: 02-Jan-2015

Version: 2.0

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
White petrolatum	8009-03-8	232-373-2	Carc.Cat.2; R45	Carc. 1B (H350)	45
Paraffin	8002-74-2	232-315-6	Not Listed	Not Listed	*
Light mineral oil (liquid paraffin)	8042-47-5	232-455-8	Not Listed	Not Listed	*
Camphor	76-22-2	200-945-0	Not Listed	Not Listed	*
Cetyl alcohol	36653-82-4	253-149-0	Not Listed	Not Listed	*
Titanium dioxide	13463-67-7	236-675-5	Not Listed	Not Listed	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Octyldodecanol	5333-42-6	226-242-9	Not Listed	Not Listed	*
Arachidyl propionate	65591-14-2	265-839-9	Not Listed	Not Listed	*
Phenyl trimethicone	2116-84-9	218-320-6	Not Listed	Not Listed	*
Oleyl Alcohol	143-28-2	205-597-3	Not Listed	Not Listed	*
Beeswax	8012-89-3	232-383-7	Not Listed	Not Listed	*
Isopropyl lanolate	63393-93-1	264-119-1	Not Listed	Not Listed	*
Fragrance	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Carnauba wax	8015-86-9	232-399-4	Not Listed	Not Listed	*
Isopropyl myristate	110-27-0	203-751-4	Not Listed	Not Listed	*
Lanolin	8006-54-0	232-348-6	Not Listed	Not Listed	*
FD & C Yellow No. 5, Aluminum lake	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
D&C Red No. 6 Barium Lake	17852-98-1	241-806-4	Not Listed	Not Listed	*
Methylparaben	99-76-3	202-785-7	Not Listed	Not Listed	*
Propylparaben	94-13-3	202-307-7	Not Listed	Not Listed	*

Additional Information:

* Proprietary
 Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.
 In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: No data available

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 3 of 13

Revision date: 02-Jan-2015

Version: 2.0

Medical Conditions None known
Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed
Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): Consumer healthcare product used for skin care

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

White petrolatum

ACGIH Threshold Limit Value (TWA) 5 mg/m³ (oil mist, mineral)

ACGIH Threshold Limit Value (STEL) 10 mg/m³ (oil mist, mineral)

Paraffin

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 4 of 13

Revision date: 02-Jan-2015

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ACGIH Threshold Limit Value (TWA)	2 mg/m ³
Australia TWA	2 mg/m ³
Belgium OEL - TWA	2 mg/m ³
Denmark OEL - TWA	2 mg/m ³
Estonia OEL - TWA	2 mg/m ³
Finland OEL - TWA	1 mg/m ³
France OEL - TWA	2 mg/m ³
Greece OEL - TWA	2 mg/m ³
Ireland OEL - TWAs	2 mg/m ³
Poland OEL - TWA	2 mg/m ³
Portugal OEL - TWA	2 mg/m ³
Romania OEL - TWA	2 mg/m ³
Spain OEL - TWA	2 mg/m ³
Switzerland OEL - TWAs	2 mg/m ³
Vietnam OEL - TWAs	1 mg/m ³
Light mineral oil (liquid paraffin)	
ACGIH Threshold Limit Value (TWA)	5 mg/m ³
Camphor	
ACGIH Threshold Limit Value (TWA)	2 ppm
ACGIH Threshold Limit Value (STEL)	3 ppm
Australia STEL	3 ppm
Australia TWA	19 mg/m ³
Australia TWA	2 ppm
Australia TWA	12 mg/m ³
Austria OEL - MAKs	2 ppm
Austria OEL - MAKs	13 mg/m ³
Belgium OEL - TWA	2 ppm
Belgium OEL - TWA	12 mg/m ³
Bulgaria OEL - TWA	12.0 mg/m ³
Denmark OEL - TWA	2 ppm
Denmark OEL - TWA	12 mg/m ³
Finland OEL - TWA	0.3 ppm
Finland OEL - TWA	1.9 mg/m ³
France OEL - TWA	2 ppm
France OEL - TWA	12 mg/m ³
Germany (DFG) - MAK	2 ppm
Germany (DFG) - MAK	13 mg/m ³
Greece OEL - TWA	12 mg/m ³
Ireland OEL - TWAs	2 ppm
Ireland OEL - TWAs	12 mg/m ³
Lithuania OEL - TWA	3 mg/m ³
OSHA - Final PELs - TWAs:	2 mg/m ³
Poland OEL - TWA	12 mg/m ³
Portugal OEL - TWA	2 ppm
Romania OEL - TWA	6 ppm
Romania OEL - TWA	1 mg/m ³
Slovakia OEL - TWA	2 ppm
Slovakia OEL - TWA	13 mg/m ³
Slovenia OEL - TWA	2 ppm
Slovenia OEL - TWA	13 mg/m ³

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 5 of 13

Revision date: 02-Jan-2015

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Spain OEL - TWA	2 ppm 13 mg/m ³
Switzerland OEL - TWAs	2 ppm 13 mg/m ³
Vietnam OEL - TWAs	2 mg/m ³
Cetyl alcohol	
Germany - TRGS 900 - TWAs	20 ppm 200 mg/m ³
D&C Red No. 6 Barium Lake	
ACGIH Threshold Limit Value (TWA)	0.5 mg/m ³
Titanium dioxide	
ACGIH Threshold Limit Value (TWA)	10 mg/m ³
ACGIH OELs - Notice of Intended Changes	Listed
Australia TWA	10 mg/m ³
Austria OEL - MAKs	5 mg/m ³
Belgium OEL - TWA	10 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Denmark OEL - TWA	6 mg/m ³
Estonia OEL - TWA	5 mg/m ³
France OEL - TWA	10 mg/m ³
Greece OEL - TWA	10 mg/m ³ 5 mg/m ³
Ireland OEL - TWAs	10 mg/m ³ 4 mg/m ³
Latvia OEL - TWA	10 mg/m ³
Lithuania OEL - TWA	5 mg/m ³
OSHA - Final PELs - TWAs:	15 mg/m ³
Poland OEL - TWA	10.0 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Romania OEL - TWA	10 mg/m ³
Russia OEL - TWA	10 mg/m ³
Spain OEL - TWA	10 mg/m ³
Sweden OEL - TWAs	5 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³
Vietnam OEL - TWAs	6 mg/m ³ 5 mg/m ³

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands:

Not required for the normal use of this product. Wear protective gloves when working with large quantities.

Eyes:

Not required under normal conditions of use. Wear safety glasses or goggles if eye contact is possible.

Skin:

Not required for the normal use of this product. Wear protective clothing when working with large quantities.

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 6 of 13

Revision date: 02-Jan-2015

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Not required for the normal use of this product. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Waxy Semi-solid	Color:	Pink
Odor:	Camphor	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture

Solvent Solubility: No data available

Water Solubility: No data available

pH: No data available.

Melting/Freezing Point (°C): No data available

Boiling Point (°C): No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

Arachidyl propionate

No data available

Camphor

No data available

Carnauba wax

No data available

D&C Red No. 6 Barium Lake

No data available

FD & C Yellow No. 5, Aluminum lake

No data available

Fragrance

No data available

Isopropyl lanolate

No data available

Isopropyl myristate

No data available

Lanolin

No data available

Light mineral oil (liquid paraffin)

No data available

Methylparaben

No data available

Paraffin

No data available

Propylparaben

No data available

Octyldodecanol

No data available

Oleyl Alcohol

No data available

Phenyl trimethicone

No data available

Cetyl alcohol

No data available

White petrolatum

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 7 of 13

Revision date: 02-Jan-2015

Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

No data available

Titanium dioxide

No data available

Beeswax

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): No data available

Vapor Density (g/ml): No data available

Relative Density: No data available

Viscosity: No data available

Flammability:

Autoignition Temperature (Solid) (°C): No data available

Flammability (Solids): No data available

Flash Point (Liquid) (°C): No data available

Upper Explosive Limits (Liquid) (% by Vol.): No data available

Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Camphor

Mouse Oral LD50 1310 mg/kg

Isopropyl myristate

Mouse Oral LD50 49,700 mg/kg

Rabbit Dermal LD50 5000 mg/kg

Lanolin

Rat Oral LD50 >5000 mg/kg

Light mineral oil (liquid paraffin)

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 8 of 13

Revision date: 02-Jan-2015

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Rat Oral LD50 > 5000 mg/kg

Paraffin

Rat Oral LD50 >3750 mg/kg

Rabbit Dermal LD50 >3600mg/kg

Propylparaben

Mouse Oral LD 50 6332 mg/kg

Mouse Sub-tenon injection (eye) LD 50 200 mg/kg

Cetyl alcohol

Rat Oral LD50 5000 mg/kg

Rabbit Dermal LD50 > 2,600 mg/kg

Mouse Oral LD50 3200 mg/kg

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg

Rat Subcutaneous LD50 50 mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Isopropyl lanolate

Skin Irritation Rabbit Mild

Eye Irritation Rabbit Mild

Light mineral oil (liquid paraffin)

Eye Irritation Rabbit Non-irritating

Skin Irritation Rabbit Non-irritating

Skin Sensitization - GPMT Guinea Pig Negative

Paraffin

Skin Irritation Rabbit Mild

Eye Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Light mineral oil (liquid paraffin)

90 Day(s) Rat Oral 1800 mg/kg/day NOAEL Liver

Propylparaben

3 Week(s) Rat Oral 27.1 g/kg LOAEL Endocrine system

4 Week(s) Rat Oral 347.2 mg/kg LOAEL Male reproductive system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Lanolin

Fertility and Embryonic Development Rabbit Oral 200 mg/kg/day LOAEL Maternal toxicity, Not teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 9 of 13

Revision date: 02-Jan-2015

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Light mineral oil (liquid paraffin)

In Vitro Bacterial Mutagenicity (Ames) *Salmonella* Negative
In Vitro Mammalian Cell Mutagenicity Mouse Lymphoma Negative

Carcinogen Status:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Titanium dioxide

IARC:

Group 2B (Possibly Carcinogenic to Humans)

12. ECOLOGICAL INFORMATION

Environmental Overview:

Environmental properties have not been investigated. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Light mineral oil (liquid paraffin)

Lepomis macrochirus (Bluegill Sunfish) OECD LC50 96 Hours > 10000 mg/L

Persistence and Degradability:

No data available

Bio-accumulative Potential:

No data available

Mobility in Soil:

No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 10 of 13

Revision date: 02-Jan-2015

Version: 2.0

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

White petrolatum

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex XVII - Restrictions on Certain Dangerous Substances:	Use restricted. See item 28.
REACH - Carcinogens Category 2:	Present
EU EINECS/ELINCS List	232-373-2

Paraffin

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-315-6

Light mineral oil (liquid paraffin)

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-455-8

Octyldodecanol

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	226-242-9

Arachidyl propionate

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 11 of 13

Revision date: 02-Jan-2015

Version: 2.0

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	265-839-9

Phenyl trimethicone

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	218-320-6

Oleyl Alcohol

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	205-597-3

Beeswax

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-383-7

Isopropyl lanolate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	264-119-1

Fragrance

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Carnauba wax

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-399-4

Isopropyl myristate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 12 of 13

Revision date: 02-Jan-2015

Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List 203-751-4

Camphor

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5
EU EINECS/ELINCS List	Schedule 6 200-945-0

Lanolin

CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	= 10000 lb upper threshold TPQ = 500 lb lower threshold TPQ
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-348-6

Cetyl alcohol

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	253-149-0

FD & C Yellow No. 5, Aluminum lake

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

D&C Red No. 6 Barium Lake

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	241-806-4

Methylparaben

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	202-785-7

Propylparaben

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

SAFETY DATA SHEET

Material Name: ChapStick Classic Original (without Padimate-O)

Page 13 of 13

Revision date: 02-Jan-2015

Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	202-307-7
-----------------------	-----------

Titanium dioxide

CERCLA/SARA 313 Emission reporting California Proposition 65	Not Listed carcinogen initial date 9/2/11 airborne, unbound particles of respirable size
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	236-675-5

Additional Information: White petrolatum is not classified as a carcinogen. Nota N applies since the full refining history is known and it can be shown that the substances from which the petroleum jelly was produced are not a carcinogen.

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Carcinogenicity-Cat.1B; H350 - May cause cancer

Carcinogenic: Category 2

R45 - May cause cancer.

Data Sources: Publicly available toxicity information. Pfizer proprietary drug development information. Safety data sheets for individual ingredients.

Reasons for Revision: Updated Section 3 - Composition / Information on Ingredients. Updated Section 2 - Hazard Identification. Updated Section 7 - Handling and Storage. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information.

Revision date: 02-Jan-2015

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet