

LED Slim Recessed Downlighting

COLOR SELECTABLE



Designed for New or Remodel Applications

Topaz's LED Slim Recessed Downlights feature a selectable CCT switch for various installation options. A low profile design facilitates mounting in confined ceilings or narrow soffits. Rated for IC and damp locations, this easy-to-install fixture does not require a separate housing as it can be mounted directly into the ceiling. Optional frame-in kit available for new construction applications. Dimmable with leading-edge incandescent or LED style dimmers. These ENERGY STAR certified fixtures are available in 4" and 6" models, with CCT range of 2700K-3000K-4000K.

FEATURES

- 2700K, 3000K and 4000K selectable CCT colors
- Remote J-box with low voltage cable provides flexibility in mounting
- Edge lit LED technology
- Advanced optics and thermal construction with low profile design
- New or remodel applications
- 85% energy savings compared to incandescent

SUGGESTED APPLICATIONS

- Retrofit and new construction
- Residential and multi-family
- Hospitality
- Schools





Job Name/Title: _____ Catalog Number _____
Contractor: _____ Notes: _____

LED Slim Recessed Downlighting

COLOR SELECTABLE

GENERAL SPECIFICATIONS

Input Voltage: 120V, 50/60Hz



Power Factor/THD %: 0.9 / <20%

Average Rated Life (L70): 50,000 hours

CRI: 90

Ambient Operating Temp: -4°F to 104°F

Beam Angle: 110°



SPECIFICATIONS / ORDER INFO

Catalog Number	Order Code	UPC	CCT	Watts	Input Amps @120V	Size	Lumens	Lumens Per Watt	Replacement Watts	Pk Qty
RDL/4RND/9/CTS	77245	751338031739	2700K/3000K/4000K	9W	100mA	4"	580	64	60W	1/40
RDL/6RND/12/CTS	77247	751338031746	2700K/3000K/4000K	12W	150mA	6"	900	75	75W	1/20
RDL/6RND/12HL/CTS	77250	751338031753	2700K/3000K/4000K	12W	150mA	6"	1,100	92	100W	1/20

NOMENCLATURE

Example: **RDL/4RND/9/CTS**

RDL=Recessed Down Light / **4RND**=4" Round / **9**=9 Watts / **CTS**=Color Selectable

***Dimming - This unit is designed to be compatible with most leading edge, incandescent or LED dimmers. Up to date information with additional dimmers: www.topaz-usa.com**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Fixture may not be compatible with all dimmers. Visit www.topaz-usa.com for up-to-date dimmer compatibility information. Specifications subject to change without notice. ©2018 Topaz Lighting Corp.



LED Slim Recessed Downlighting

COLOR SELECTABLE

ACCESSORIES



Low Voltage Extension Cable

- 6', 10' and 20' lengths
- Available for remote driver installation



Frame-In Kit

- New construction ceiling mounting plate for RDL series downlights
- Steel frame



COMPATIBLE DIMMERS

Dimmer Brand	Dimmer Model	4 Lamps	8 Lamps
Lutron	N-600	✓	✓
	CTELV-303P	✓	✓
	DVELV-300P	✓	✓
	MACL-153M	✓	✓
	CT-600P	✓	✓
	DVCL-153P	X	X
	CTCL-153P	✓	✓
	MA-600	✓	✓
Leviton	IPL06	✓	✓
	DSL-06	✓	✓
	IPI10-1LZ	✓	✓
	IPE04	✓	✓

Catalog Number	Order Code	UPC	Description	Size	PK QTY
RDL4-FRAME KIT	77223	751338023086	Frame-In Kit	4"	48
RDL6-FRAME KIT	77225	751338023093	Frame-In Kit	6"	48
RDL-LV CABLE-6FT	77243	751338023376	Extension Cable	6' (2 Meters - 6' 6")	50
RDL-LV CABLE-10FT	77241	751338023352	Extension Cable	10' (3 Meters - 9' 10")	50
RDL-LV CABLE-20FT	77242	751338023369	Extension Cable	20' (6 Meters - 19' 8")	50

***Dimming - This unit is designed to be compatible with most leading edge, incandescent or LED dimmers. Up to date information with additional dimmers: www.topaz-usa.com**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Fixture may not be compatible with all dimmers. Visit www.topaz-usa.com for up-to-date dimmer compatibility information. Specifications subject to change without notice. ©2018 Topaz Lighting Corp.