

Grace 6032F

Formerly Serenity 43

60 x 31 ½ x 30 ¼ inches



FEATURES ~

- Ergonomic bathing well
- Freestanding slipper design
- Claw feet (installed)
- Slip resistant floor
- Premium cast acrylic surface
- White only
- Ships in wood crate
- Limited lifetime warranty



Rev 02.14.17

PRICE LIST/ORDER FORM — PURCHASE ORDER REQUIRED

Grace 6032F Formerly Serenity 43

60 x 31 1/2 x 30 1/4

BASE MODEL	PKG. WT. LBS.	DRAIN	MODEL #	MSLP
<input type="checkbox"/> Soaker	194	End	WY6017T0	\$5,037



OPTIONS (x = insert desired option code)	ENTER DESIRED OPTION CODE	MSLP
Freestanding waste & overflow (FDxxxx): Chrome (CHCD)	_____	\$330
Freestanding waste & overflow (FDxxxx): White (WHCD)	_____	\$450
Freestanding waste & overflow (FDxxxx): Oil Rubbed Bronze (OBCD) Polished Brass (BRCD) Brushed Nickel (SNCD)	_____	\$515
Claw feet (FTXX): Chrome (CH) Oil Rubbed Bronze (OB) Polished Brass (PB) Brushed Nickel (BN) White (WH)	_____	No charge
Rush order program* (DELQK)	_____	\$325
Residential delivery* (DELRD)	_____	\$205
Residential delivery with lift gate* (DELLG)	_____	\$249
*For program terms and conditions, see page iii.		

BASE PRICE (insert MSLP of base model selected in upper table)

+ \$ _____

OPTIONS SUB TOTAL

\$ _____

ORDER TOTAL

= \$ _____

Customer Name: _____ Date: _____

Additional Information:

Rev 02.14.17



SERENITY

PRODUCT FEATURES


- Claw feet (Chrome standard)
- Available in White only
- Wood shipping crate

For series features see section page.

ILLUSTRATION KEY

○ = Blower or Pump Location

TILE FLANGE CONFIGURATIONS



ORDERING KEY

In the part number, "xx" means an option code must be inserted.

Cast Acrylic stock color (COLxx) ← part number

option code → White (WH)



Example: COLxx + WH = COLWH
Cast Acrylic stock color in White

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.

Grace 6032F

Formerly Serenity 43

60 x 31 1/2 x 30 1/4 inches



FEATURES

Dimensional Tolerance $\pm 3/8"$. Dimensions needed for site preparation should be measured from the unit. Manufacturer assumes no responsibility for preparatory work.

Type and Model #	Material	Drain	Pkg. Wt. lbs
Soaker #WY6017TO	Cast Acrylic	End	194

DIMENSIONS inches

Width Inches	Depth Inches	Height Inches	Skirt Height
60	31 1/2	30 1/4	-

SUMP DATA inches

Capacity to Overflow gal	Min. Operating Capacity gal	WIDTH @ centerline		DEPTH @ centerline	
		Top	Bottom	Top	Bottom
41	-	53 1/4	43 3/4	24 1/4	19 3/4

PLUMBING DIMENSIONS inches

A	B	Drain Diameter / Clearance
2 1/4	11	2 / 4 7/8

NOTES:

1) Where applicable, utilize cut-out templates packed with unit for deck cutouts.

2) 16 x 16 minimum access required at pump/blower location(s).