Version 1.0

Revision Date 05/26/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07759 BRDWLK CITRUS BWK904 12n6.6
Material number	:	0000000001048768
Manufacturer or supplier's	deta	ails
Company	:	
Address	:	
Telephone	:	

Emergency telephone numbers		
For SDS Information	:	
For a Medical Emergency	:	
For a Transportation	:	
Emergency		

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	yellow
Odour	characteristic

### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after use.</li> </ul>

Version 1.0	Revision Date 05/26/2015	Print Date 06/01/2016
	<ul> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spra P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear eye protection/ face protection.</li> <li><b>Response:</b></li> <li>P304 + P340 + P312 IF INHALED: Remove victim to fres and keep at rest in a position comfortable for breathing. C</li> <li>POISON CENTER or doctor/ physician if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with v for several minutes. Remove contact lenses, if present ar easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li><b>Storage:</b></li> <li>P405 Store locked up.</li> <li>P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.</li> <li>P403 Store in a well-ventilated place.</li> <li><b>Disposal:</b></li> <li>P501 Dispose of contents/container in accordance with lo regulation.</li> </ul>	
Potential Health Effects		
Carcinogenicity:		
IARC ACGIH	No component of this product present at le equal to 0.1% is identified as probable, po human carcinogen by IARC. No component of this product present at le	ssible or confirmed
	equal to 0.1% is identified as a carcinoger carcinogen by ACGIH.	n or potential
OSHA	No component of this product present at le equal to 0.1% is identified as a carcinoger carcinogen by OSHA.	
NTP	No component of this product present at le equal to 0.1% is identified as a known or a by NTP.	evels greater than or Inticipated carcinogen

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 50 - < 70
propane	74-98-6	>= 20 - < 30

# SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	: Consult a physician after significant exposure.

Version 1.0 Revision Date 05/26/2015 Print Date 06/01/2016 If unconscious place in recovery position and seek medical advice. In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician. In case of eye contact : Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	<ul> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> <li>Use a water spray to cool fully closed containers.</li> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</li> </ul>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.

Version 1.0	Revision Date 05/26/2015	Print Date 06/01/2016
	Evacuate personnel to safe areas Beware of vapours accumulating concentrations. Vapours can accu	to form explosive
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains intrespective authorities.</li> </ul>	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage a container for disposal.	dust).

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	<ul> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Always replace cap after use.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Keep away from oxidising agents, strongly acid or alkaline materials and amines.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1

# Revision Date 05/26/2015

Print Date 06/01/2016

		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

### **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

# Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: Aerosol containing a liquefied gas
Colour	: yellow
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available

Version 1.0

# Revision Date 05/26/2015

Melting point/freezing point Boiling point Flash point	<ul> <li>no data available</li> <li>no data available</li> <li>no data available</li> </ul>
Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit Lower explosion limit Vapour pressure	<ul> <li>no data available</li> <li>no data available</li> <li>no data available</li> </ul>
Relative vapour density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 36.44 kJ/g

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.	
reactions	Vapours may form explosive mixture with air.	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.	
Incompatible materials	: Acids Oxidizing agents Bases Amines	
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)	

Version 1.0

Revision Date 05/26/2015

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Components:	
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
<b>propane:</b> Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l

#### Skin corrosion/irritation

### Product:

Remarks: May cause skin irritation in susceptible persons.

### Serious eye damage/eye irritation

#### Product:

Remarks: Severe eye irritation

### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

acetone: propane:

#### STOT - single exposure

Revision Date 05/26/2015

no data available

## **STOT - repeated exposure**

no data available

#### Aspiration toxicity

no data available

### **Further information**

## **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

no data available	
Persistence and degradability	
no data available <b>Bioaccumulative potential</b>	
Product:	
Partition coefficient: n- octanol/water	: Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Version 1.0	Revision Date 05/26/2015	Print Date 06/01/2016
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>	
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch</li> </ul>	on, the empty drum.

# **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

# **SECTION 15. REGULATORY INFORMATION**

# EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302.	the

/ersion 1.0	Revision Date 05/26/2015	Print Date 06/01/2016
SARA 313	: SARA 313: This material does not of components with known CAS numb threshold (De Minimis) reporting lev Title III, Section 313.	pers that exceed the
California Prop 65	This product does not contain any o California to cause cancer, birth de reproductive harm.	
The components of	this product are reported in the following in	ventories:
TSCA	On TSCA Inventory	
DSL	This product contains one or several compo Canadian DSL nor NDSL.	nents that are not on the
AICS	Not in compliance with the inventory	
NZIOC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	


 PICCS
 Not in compliance with the inventory

 IECSC
 Not in compliance with the inventory

### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

# **SECTION 16. OTHER INFORMATION**



OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	
,	<b>Prevention:</b> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/

Version 1.0

Revision Date 05/26/2015

fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. **Response:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. **Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures

Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	05/26/2015
Print Date:	06/01/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.