

MSDS #: TN1598-0101

Page 1 of 7

MATERIAL SAFETY DATA SHEET Product Code: 2449B / F42-8021

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon GPR-26 Magenta Toner

Product Code: 2449B / F42-8021

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111.

Supplier: Canon USA Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone#: 1-800-OK-CANON 24Hr. EmergencyCHEMTREC#1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

EU Classification: Not classified as dangerous.

Emergency Overview: Magenta fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS							
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established	
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established	
Pigment	Confidential	1-7	None/ None	Not established	Not established	Not established	Not established	

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.

MATERIAL SAFETY DATA SHEET

Page 2 of 7
MSDS #: TN1598-0101

Product Code: 2449B / F42-8021

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.



Viscosity (mPa s):

Page 3 of 7 MSDS #: TN1598-0101

MATERIAL SAFETY DATA SHEET Product Code: 2449B / F42-8021

EXPOSURE CONTROLS / PERSONAL PROTECTION **SECTION 8 Exposure Guidelines:** USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) ACGIH TLV (TWA): DFG MAK: 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 3) **Engineering Controls:** Use adequate ventilation. **Personal Protection Equipment(s): Respiratory Protection:** \square Required Not Required ☐ Required **Eye/Face Protection:** Not Required **Skin Protection:** ☐ Required Not Required **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES Appearance: Magenta fine powder Odor: Slight plastic odor pH: Not applicable **Boiling Point/Range(°C):** Not applicable **Melting Point/Range(°C):** 100-150 (Softening point) **Decomposition Temperature**(°C): > 200 Flash Point(°C): Not applicable Flammable (Explosive) Limits: Not applicable **Autoignition Temperature(°C):** Not available Flammability: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available **Vapor Pressure:** Not applicable **Vapor Density:** Not applicable **Density / Specific Gravity:** 1.0 - 1.2Water Solubility: Negligible **Fat Solubility:** Partially soluble in toluene and xylene. Partition Coefficient (n-Octanol/Water): Not applicable **Percent Volatile:** Not applicable Not applicable **Evaporation Rate:**

Date of Issue: Revised: July 20, 2007

Not applicable

Page 4 of 7

MSDS #: TN1598-0101

MATERIAL SAFETY DATA SHEET Product Code: 2449B / F42-8021

SECTION 10 STABILITY AND REACTIVITY					
Stability:	⊠ Stable □ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Product	ts: <u>CO, CO2</u>				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICAL INFORMATION					
Acute Toxicity: Inhalation: Not available					
Ingestion: Estimate: Rat, LD50 > 2000 r	ng/kg (See SECTION 16)				
Eye: Estimate: Rabbit, transient sli	ght conjunctival irritation only. (See SECTION 16)				
Skin:					
Estimate: Rabbit, non-irritant (See SECTION 16)					
Sensitization: Estimate: Guinea pig, skin: Non-sensitizing (See SECTION 16)					
Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative					
Reproductive Toxicity: Not available					
Carcinogenicity:					
Not available					

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Others:

None

MSD MATERIAL CARETY DATA SHEET DAY

Page 5 of 7
MSDS #: TN1598-0101

MATERIAL SAFETY DATA SHEET Product Code: 2449B / F42-8021

		THE STEEL STEEL STEEL TOUGHT COURT STEEL S					
SECTION 12 E	COLOG	GICAL INFORMATION					
Mobility:		Not available					
Persistence / Degradability: Bioaccumulation:							
							Ecotoxicity:
Other Adverse Effe	Not available						
SECTION 13	DISPOSA	AL CONSIDERATIONS					
container, unless	er or tone dust-expl	or container into fire; heated toner may cause severe burns. DO NOT shred a toner dosion preventing measures are taken. Finely dispersed particles form explosive hould be subject to federal, state and local laws.					
SECTION 14	TRANSP	ORT INFORMATION					
UN #:	None	ne e					
UN Shipping Name	:None						
UN Classification:	None						
UN Packing Group:	None						
Marine Pollutant:	Yes No	Chemical name (wt%):					
Special Precautions	:None						
SECTION 15	REGULA	ATORY INFORMATION					
< EU Information >							
Information on the Symbol & Indic		ot required					
R-Phrase: Not required							
S-Phrase: Not required							
Dangerous Com Not required	ponent(s	i):					
Special Precauti Not required	ons unde	er 1999/45/EC Annex V:					
•		tion to Protection of Man or the Environment:					
76/769/EEC:	Not regu	ılated					
(EC)2037/2000:	Not regu	Not regulated					
(EC)304/2003:	Not regu	Not regulated					



MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS #: TN1598-0101 Product Code: 2449B / F42-8021

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



MATERIAL SAFETY DATA SHEET

Page 7 of 7
MSDS #: TN1598-0101

Product Code: 2449B / F42-8021

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

 $DFG\ MAK:\ MAK (Maximale\ Arbeitsplatz-Konzentration)\ under\ Deutsche\ Forschungsgemeinschaft.$

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.