

Printing date 11/24/2014 Reviewed on 11/24/2014

### 1 Identification

· Product identifier

· Trade name: Medaphene Plus Disinfectant

· Article number: 347

· Application of the substance / the mixture Hard Surface Disinfectant

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

**ITW Pro Brands** 

805 East Old 56 Highway

Olathe, Kansas 66061 Phone: 1-800-224-4860

· Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS 04 gas cylinder

H280 Contains gas under pressure; may explode if heated.



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.



Eye Irrit. 2A

H319

Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS04 GHS07

- · Signal word Danger
- · Hazard statements

H280 Contains gas under pressure; may explode if heated.

H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

H319 Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P251 Pressurized container: Do not pierce or burn, even after use. P211

Do not spray on an open flame or other ignition source.

(Contd. on page 2)

Printing date 11/24/2014 Reviewed on 11/24/2014

### Trade name: Medaphene Plus Disinfectant

(Contd. of page 1)

P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves / eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### · Additional information:

Pressurized container: May burst if heated.

Contains Onium compounds, morpholinium, 4-ethyl-4-soya alkyl, Et sulfates. May produce an allergic reaction.

- · Hazard description:
- · WHMIS-symbols:

A - Compressed gas

B5 - Flammable aerosol

D2B - Toxic material causing other toxic effects



- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 4

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 4 Fire = 4

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description**: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

64-17-5 ethanol 🚸 Flam. Liq. 2, H225 50-100%

Eye Irrit. 2A, H319

(Contd. on page 3)

Printing date 11/24/2014 Reviewed on 11/24/2014

#### Trade name: Medaphene Plus Disinfectant

	(Cor	ntd. of page 2)
75-37-6	1,1-difluoroethane	10-25%
	Flam. Gas 1, H220 Press. Gas, H280	
90-43-7	biphenyl-2-ol	< 1%
	Aquatic Acute 1, H400 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
61791-34-2	Onium compounds, morpholinium, 4-ethyl-4-soya alkyl, Et sulfates  Eye Dam. 1, H318  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	< 1%

### 4 First-aid measures

- · Description of first aid measures
- General information: Take affected persons out into the fresh air.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed

Headache

Allergic reactions

Breathing difficulty

Dizziness

Coughing

Frostbite

Nausea

Irritant to eyes.

Disorientation

· Danger

Danger of impaired breathing.

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

Contains Onium compounds, morpholinium, 4-ethyl-4-soya alkyl, Et sulfates. May produce an allergic reaction.

(Contd. on page 4)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 3)

Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Cool endangered receptacles with water fog.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Allow to evaporate.

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Precautions for safe handling

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Pressurized container: Do not pierce or burn, even after use.

(Contd. on page 5)

Printing date 11/24/2014 Reviewed on 11/24/2014

#### Trade name: Medaphene Plus Disinfectant

(Contd. of page 4)

#### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may be formed in empty receptacles.

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:					
64-17-5 ethanol					
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm				
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm				
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm				
EL (Canada)	Short-term value: 1000 ppm				
EV (Canada)	Long-term value: 1.900 mg/m³, 1.000 ppm				
LMPE (Mexico)	Long-term value: 1000 ppm A3				

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 6)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 5)

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

**Color:** Clear to straw color.

Odor: PleasantOdor threshold: Not determined.

• **pH-value:** 9.0 - 10.5

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

\*Flash point:

Undetermined.
80 °C (176 °F) (liquid)

18.5 °C (65 °F) (liquid)

Flammability (solid, gaseous): Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Not determined.

(Contd. on page 7)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 6)

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure at 21 °C (70 °F): 128 psig

• **Density at 20 °C (68 °F):** 0.82 g/cm³ (6.843 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 1 (Air=1)
 Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

**VOC content:** 69.69 %

Other information
 No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Danger of receptacles bursting because of high vapor pressure if heated.

· Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Reacts violently with oxidizing agents.

Extremely flammable aerosol.

Danger of receptacles bursting because of high vapor pressure if heated.

· Conditions to avoid

Keep away from heat and direct sunlight.

Excessive heat and contact with oxidizers.

Keep ignition sources away - Do not smoke.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

(Contd. on page 8)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 7)

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:							
64-17-5 et	thanol						
Oral	LD50	7060 mg/kg (rat)					
Inhalative	LC50/4h	20000 mg/l (rat)					

- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.
- · Other information (about experimental toxicology):

Ingestion is considered unlikely.

Vapors have narcotic effect.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated Dose Toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 9)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 8)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Waste disposal key: EPA RCRA Code (USA): D001.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1950

· UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

· **DOT** Aerosols, flammable

· **ADR** 1950 AEROSOLS, flammable

· IMDG AEROSOLS

· IATA AEROSOLS, flammable

· Transport hazard class(es)

· DOT



ClassLabel2.1

· ADR



· Class 2 5F Gases

· Label 2.1

(Contd. on page 10)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 9)

·IMDG



· Class 2 Gases Label 2.1

· IATA



 · Class
 2.1

 · Label
 2.1

· Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· Environmental hazards:

· Marine pollutant:

· Special precautions for user Warning: Gases

· Danger code (Kemler):

**EMS Number:** F-D,S-U

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations** On passenger aircraft/rail: 75kg

On cargo aircraft only: 150kg

· ADR

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN1950, Aerosols, 2.1

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 11)

Printing date 11/24/2014 Reviewed on 11/24/2014

Trade name: Medaphene Plus Disinfectant

(Contd. of page 10)

### TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 ethanol

90-43-7 biphenyl-2-ol

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

### · Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 ethanol

67-56-1 methanol

- Carcinogenic categories
- · EPA (Environmental Protection Agency)

EPA Product Registration: 11694-98.

See EPA registration information for listed substances.

## Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or faceshield and rubber gloves when handling. Harmful or fatal if swallowed. Causes skin irritation. Do not get on skin or on clothing.

(NOTIČE: This product contains chemicals known to the State of California to cause cancer.) FIRST AID

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED - Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks and open flame.

STORAGE AND DISPOSAL

STORAGE: Keep containers tightly sealed when not in use. Store container indoors and in a dry area. Keep from freezing. Use from original container only.

(Contd. on page 12)

Printing date 11/24/2014 Reviewed on 11/24/2014

#### Trade name: Medaphene Plus Disinfectant

(Contd. of page 11)

DISPOSAL: If empty: Nonrefillable container. Do no reuse or refill this container. Offer for recycling if available, or discard in trash. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Not for sale or use in California.

{Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.}

For Com	nmercial/Institutional Use Only			
· IARC (Ir	nternational Agency for Research on Cancer)			
64-17-5	ethanol	1		
90-43-7	biphenyl-2-ol	3		
· TLV (Th	reshold Limit Value established by ACGIH)			
64-17-5	ethanol	A3		
· NIOSH-	Ca (National Institute for Occupational Safety and Health)			
None of	the ingredients is listed.			
· State Ri	ght to Know Listings			
Some in	Some ingredients listed.			
· Canadia	an substance listings:			
· Canadia	an Domestic Substances List (DSL)			
All ingre	dients are listed.			
Canadia	an Ingredient Disclosure list (limit 0.1%)			

64-17-5 ethanol

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 11/24/2014 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

(Contd. on page 13)

Printing date 11/24/2014 Reviewed on 11/24/2014

### Trade name: Medaphene Plus Disinfectant

(Contd. of page 12)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Liquefied gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com