

SAFETY DATA SHEET

Issuing Date 16-Sep-2013

Revision Date 16-Sep-2013

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	SCRUBS® Metal Polish Towel
Other means of identification	
Product Code(s)	90218, 90236
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Metal polish
Uses advised against	No information available
Supplier's details	
Supplier Address ITW Pro Brands 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536	
Emergency telephone number	

Emergency Telephone Number

800-535-5053 Infotrac

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin Sensitization	Category 1
Aspiration Toxicity	Category 1

GHS Label elements, including precautionary statements

Emergency Overview



Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

None

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• If eye irritation persists: Get medical advice/attention.

Skin

- · IF ON SKIN: Wash with plenty of soap and water
- Take off contaminated clothing and wash before reuse
- If skin irritation or rash occurs: Get medical advice/attention.

Ingestion

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting.

Storage

Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Isoparaffinic Hydrocarbon	64742-47-8	10-30	*
Aluminum oxide	1344-28-1	10-30	*
Naphtha (petroleum), hydrotreated heavy	64742-48-9	1-5	*
Ammonia	7664-41-7	1-5	*
Sulfamic acid	5329-14-6	1-5	*
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	4719-04-4	0.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation persists, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Water fog. Foam.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products Carbon oxides. Hydrogen. Ammonia. Amines. Nitrogen oxides (NOx). Sulfur oxides. Soot.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

Use water spray to cool surrounding containers. Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment.

Environmental Precautions

Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. See Section 12 for additional Ecological Information		
Methods and materials for co	ntainment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up	Small spillage: Wipe up with absorbent material (e.g. cloth, fleece) Large spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		
7. HANDLING AND STORAGE			
Precautions for safe handling			

Handling

Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage	Store in cool/well-ventilated place. Keep out of the reach of children. Keep container closed when not in use. Keep away from heat and sources of ignition. Do not contaminate food or feed stuffs.
Incompatible Products	Strong oxidizing agents. Strong acids. Halogens. Fluorine. Bleaching agents. Iodine. Amphoteric metals. Dimethyl sulfate.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	-
1344-28-1	fraction	TWA: 5 mg/m ³ respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Ammonia	STEL: 35 ppm	TWA: 50 ppm	IDLH: 300 ppm
7664-41-7	TWA: 25 ppm	TWA: 35 mg/m ³	TWA: 18 mg/m ³
		(vacated) STEL: 35 ppm	TWA: 25 ppm
		(vacated) STEL: 27 mg/m ³	STEL: 27 mg/m ³
			STEL: 35 ppm
Tall oil fatty acids	5 mg/m ³ (resp)	5 mg/m ³ (resp)	-
61790-12-3	10 mg/m ³ STEL (resp)		

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Risk of contact, wear: Safety glasses with side-shields. No protective equipment is needed under normal use conditions. None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid Ammonia	Appearance Odor Threshold	White No information available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Relative Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature Decomposition Temperature Viscosity	Values 9 No data available 212 °F None to boiling No data available No data available	Remarks/ - Ma None known None known PMCC None known None known	ethod
Flammable Properties	Not flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	3%		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong oxidizing agents. Strong acids. Halogens. Fluorine. Bleaching agents. Iodine. Amphoteric metals. Dimethyl sulfate.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Hydrogen. Sulfur oxides. Soot. Ammonia. Amines.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Causes eye irritation.
Skin Contact	Causes skin irritation.
Ingestion	Not an expected route of exposure. Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isoparaffinic Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
Ammonia	= 350 mg/kg (Rat)	-	= 5.1 mg/L (Rat)1 h = 2000 ppm (Rat)4 h
Sulfamic acid	= 1450 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Contains no ingredient listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.
Numerical measures of toxicity	- Product

The following v	alues are calculated based	d on chapter 3.1 of the GHS document:
LD50 Oral	8691	mg/kg; Acute toxicity estimate
Inhalation		
dust/mist	14.3	mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isoparaffinic Hydrocarbon		LC50 96 h: = 45 mg/L		LC50 96 h: = 4720 mg/L
64742-47-8		flow-through (Pimephales		(Den-dronereides
		promelas) LC50 96 h: = 2.2		heteropoda)
		mg/L static (Lepomis		
		macrochirus) LC50 96 h: =		
		2.4 mg/L static		
		(Oncorhynchus mykiss)		
Aluminum oxide		LC50 96 h: > 100 mg/L		LC50 48 h: > 100 mg/L
1344-28-1		semistatic (Salmo trutta)		(daphnia magna)

WPS-ITW-001 - SCRUBS® Metal Polish Towel

Naphtha (petroleum),		LC50 96 h: = 2200 mg/L		LC50 96 h: = 2.6 mg/L
hydrotreated heavy		(Pimephales promelas)		(Chaetogammarus marinus)
64742-48-9				
Ammonia		LC50 96 h: 0.26 - 4.6 mg/L		LC50 48 h: = 25.4 mg/L
7664-41-7		(Lepomis macrochirus)		(Daphnia magna)
		LC50 96 h: 0.73 - 2.35		
		mg/L (Pimephales promelas)		
		LC50 96 h: = 0.44 mg/L		
		(Cyprinus carpio)		
		LC50 96 h: = 1.17 mg/L		
		flow-through (Lepomis		
		macrochirus)		
		LC50 96 h: = 1.19 mg/L		
		static (Poecilia reticulata)		
		LC50 96 h: = 5.9 mg/L static		
		(Pimephales promelas)		
		LC50 96 h: > 1.5 mg/L (Poecilia reticulata)		
Tall oil fatty acids	EC50 72 h: >= 1000 mg/L	(Foecilia Teticulata)		
61790-12-3	(Pseudokirchneriella			
0.1.00 12 0	subcapitata)			
Sulfamic acid	. ,	LC50 96 h: = 14.2 mg/L		
5329-14-6		static (Pimephales promelas)		
Tetrapotassium		LC50 96 h: > 100 mg/L		EC50 48 h: > 100 mg/L
pyrophosphate		(Oncorhynchus mykiss)		(water flea)
7320-34-5				
Hexahydro-1,3,5-tris(2-hydro	-	-	EC50 = 28.9 mg/L 15 min	-
xyethyl)-S-triazine 4719-04-4				
47 19-04-4				l

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Ammonia	-1.14

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.			
Contaminated Packaging	Do not re-use empty containers.			
14. TRANSPORT INFORMATION				

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. All components of this product are either listed or are exempt on the TSCA inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Ammonia	7664-41-7	1-5	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia	100 lb			Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ammonia	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Aluminum oxide	Х	Х	Х		Х
Ammonia	Х	Х	Х		Х
Sulfamic acid	Х				

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazard	2	Flammability	0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard	2	Flammability	0	Physical Hazard 0	Personal Protection B

Prepared ByProduct Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501Issuing Date16-Sep-2013
16-Sep-2013Revision Date16-Sep-2013
Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet