			CLOVED T		CIES CROUR		
		-			GIES GROUP		
		Y WITH OSHA'S		OLUMBUS			
HAZARD COM		N STANDARD	UTTAV	VA, ILLINC	15 61350		
29CRF 1910.1	200	EMERO	GENCY TELEF	HONE NU	MBER 1-815-431-8100		
		PREPARED: 12/05/11		SIGNAT	URE OF PREPARER (OPTION	AL)	
		PRODUCT / NAME					
Product/Chen			585-260B To	ner			
CTG Product							
CAS Number:		Mixture					
Other Designa	ations:	N/A					
General Use:		Laser Printer					
SECTION 2	COMPOSIT	ION / INFORMATION		ENTS			
		CAS	EU	%	OSHA	ACGIH	OTHER
Ingredient Na	me:	NUMBER	NUMBER	,,,	PEL	TLV	LIMITS
					Topor is regulated under OSI	- A as particula	to not
					Toner is regulated under OSI otherwise regu		ile nol
Styrene-Acryla	te Copolymer	25036-16-2		43-53			
		20000 10 2			OSHA PEL: 1	5mg/m ³	
Magnetite		1309-38-2		40-50		respirable fract	tion
- 3					C C	·	
Polypropylene	Wax	9003-07-0		1-5	ACGIH TWA: 10mg/m ³ for nu	isance particu	late
Silica		67762-90-7		0.5-3			
Ollica		01102-30-1		0.0-0			
NDA = NO DA		LE					
N/A = NOT AP							
		JS IDENTIFICATION					
Primary Entry		Inhalation					A/HMIS
Target Organ						HEALTH	1
Acute Effects						FLAMMABI	
Inhalation:		on of respiratory tract.				REACTIVIT	
Eye:	-	use irritation by mechani	cal abrasion.			PPE (Sec.8)) -
Skin:	Slight irritatio						
Ingestion:	None known						
Carcinogenic	-						
Medical Cond		vated By Long-Term Ex	(posure:	Accumulation	n of dust in the respiratory syste	m	
	•	ause congestion.					
Chronic Effec				-	e airborne particles (dust), it is re		
				TICULATE a	according to the American Confe	erence of Gove	ernment
		trial Hygienists (ACGIH)	TLV=10mg/m [°]).				
SECTION 4							
Inhalation:				-	hysician if condition persists.		
Eye Contact:		ntact immediately flush					
		Remove any contact lens		orough flushi	ng.		
		ith soap and running wat	ter.				
Ingestion:	N/A						
	After first aid	, get appropriate in-plan	t paramedic or co	ommunity m	edical support		
	if serious sig	ns and symptoms persis	t.				
Note to Physi	cians:	N/A					
Special Preca	utions / Proc	edures: N/A					

SECTION 5	FIRE FIGH	TING MEASURES
Flash Point:	N/A	
Flash Point M		
Burning Rate:		
-		: Not Determined
LEL:	N/A	. Not Determined
UEL:	N/A N/A	
		n. 1 Slight (HMIS NEDA)
Flammability Extinguishing		
Unusual Fire		Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.
Hazardous Co	-	
Hazardous Co	ompustion Pr	roducts: Carbon monoxide, carbon dioxide, nitrogen oxide and smoke. Under certain conditions some aliphatic aldehydes and carboxylic acids may form.
Fire-Fighting	Instructions:	Do not release runoff from fire controls methods to sewers or waterways.
		Because fire may produce toxic thermal decomposition products, wear a
5 5		self-contained breathing apparatus (SCBA) with full facepiece operated
		in pressure-demand or positive-pressure mode.
SECTION 6	ACCIDENT	AL RELEASE MEASURES
Spill / Leak Pr	ocedures:	N/A
Small Spills:	Scoop into a	container for disposal, suction up remaining material with a high efficiency
	vacuum clea	iner.
Large Spills:	Scoop into a	container for disposal, suction up remaining material with a high efficiency
	vacuum clea	ner.
Containment:	For large spi	ills, avoid suspending particles, collect for later disposal. Do not release
	into sewers	or waterways.
Cleanup:		equirements.
Regulatory Re	equirement:	N/A
SECTION 7	HANDLING	AND STORAGE
Handling Prec	autions:	Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.
Storago Bogu		
Storage Requ	irements:	Store in a cool, dry location.
Regulatory Re		
Regulatory Re	equirement:	
Regulatory Re	equirement: EXPOSURE	N/A
Regulatory Re SECTION 8	equirement: EXPOSURE Controls:	N/A
Regulatory Re SECTION 8 Engineering C	equirement: EXPOSURE Controls: Provide gene	N/A E CONTROLS / PERSONAL PROTECTION
Regulatory Re SECTION 8 Engineering C	equirement: EXPOSURE Controls: Provide gene below OSHA	N/A CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations
Regulatory Re SECTION 8 Engineering C	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant
Regulatory Re SECTION 8 Engineering C Ventilation:	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant ito the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls: rotection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls: rotection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls: rotection:	N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls: rotection:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide gene below OSHA dispersion in e Controls: rotection:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P	equirement: EXPOSURE Controls: Provide genu below OSHA dispersion in e Controls: rotection:	N/A ECONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo	equirement: EXPOSURE Controls: Provide genu- below OSHA dispersion in e Controls: rotection: othing/Equipu	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo	equirement: EXPOSURE Controls: Provide genu- below OSHA dispersion in e Controls: rotection: othing/Equipu	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo	equirement: EXPOSURE Controls: Provide genu- below OSHA dispersion in e Controls: rotection: othing/Equipu	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo	equirement: EXPOSURE Controls: Provide generation below OSHA dispersion in e Controls: rotection: othing/Equipment: Make I Equipment:	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo Safety Station Contaminated	equirement: EXPOSURE Controls: Provide generation below OSHA dispersion in e Controls: rotection: othing/Equiption as: Make I Equipment: Never eat, d	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations APELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment.
Regulatory Re SECTION 8 Engineering C Ventilation: Administrative Respiratory P Protective Clo Safety Station Contaminated	equirement: EXPOSURE Controls: Provide generation below OSHA dispersion in e Controls: rotection: othing/Equiption as: Make I Equipment: Never eat, d	N/A ECONTROLS / PERSONAL PROTECTION Eral or local exhaust ventilation systems to maintain airborne concentrations PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment. rink, or smoke in works areas. Practice good personal hygiene after using this

	L AND CHEMICAL PROPERTIES	Weter Colubility	Negligible
Physical State:		Water Solubility:	Negligible
Appearance and Odor:	Black, free flowing powder, faint odor		N/A
Odor Threshold:	N/A	Boiling Point:	N/A
/apor Pressure:	N/A	Freezing/Melting Point:	N/A
Vapor Density (Air=1):	Heavier than air.	Viscosity:	N/A
Formula Weight:	N/A	Refractive Index:	N/A
Density:	N/A	Surface Tension:	N/A
Specific Gravity:	(H ₂ O)=1, at 4°C): 1.3-1.8	% Volatile:	N/A
pH:	N/A	Evaporation Rate:	N/A
SECTION 10 STABIL	TY AND REACTIVITY		
Stability: N/A			
Polymerization: N/A			
Chemical Incompatibiliti			
Conditions to Avoid: Avo	bid open flames		
Hazardous Decompositi	on Products: Toxic decomposition pro	oducts formed on combustion	
SECTION 11 TOXICO	LOGICAL INFORMATION		
Eye Effec	ts: N/A	Toxicity Data:*	
Skin Effe		Aguto Inholation Effects	N/A
SKIN Effe	cts: N/A	Acute Inhalation Effects:	N/A
		Acute Oral Effects:	N/A
		Chronic Effects:	N/A
		Carcinogenicity:	N/A
		Carcinogenicity:	N/A
		Carcinogenicity: Mutagenicity: Ames Test	N/A (Estimated from the results of
		Mutagenicity: Ames Test	(Estimated from the results of
*See NIOSH, RTECS fo	or additional toxicity data.	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
	or additional toxicity data.	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
	GICAL INFORMATION	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
SECTION 12 ECOLO	GICAL INFORMATION	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
SECTION 12 ECOLO Ecotoxicity: N/A Environmental Fate:	GICAL INFORMATION	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
SECTION 12 ECOLO Ecotoxicity: N/A Environmental Fate: Environmental Degradat	GICAL INFORMATION N/A sion: N/A	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
SECTION 12 ECOLO Ecotoxicity: N/A Environmental Fate: Environmental Degradat	GICAL INFORMATION N/A sion: N/A	Mutagenicity: Ames Test Negative	(Estimated from the results of testing the constituent components)
SECTION 12 ECOLO Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS	GICAL INFORMATION N/A tion: N/A y: N/A AL CONSIDERATIONS	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOO Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma	GICAL INFORMATION N/A tion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOO Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal	GICAL INFORMATION N/A tion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for , state, and local environmental regulatior	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Rec	GICAL INFORMATION N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for , state, and local environmental regulation quirements: N/A	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Rec	GICAL INFORMATION N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for , state, and local environmental regulation quirements: N/A	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Reg Container Cleaning and	GICAL INFORMATION N/A N/A sion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOO Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Red Container Cleaning and SECTION 14 TRANSE	GICAL INFORMATION N/A tion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Reg Container Cleaning and SECTION 14 TRANSE DOT Transportation Dat	GICAL INFORMATION N/A ition: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for a state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Reg Container Cleaning and SECTION 14 TRANSE DOT Transportation Dat Shipping Name: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical Packaging Authorizati	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Red Container Cleaning and SECTION 14 TRANSE DOT Transportation Dat Shipping Name: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical A Packaging Authorizati a) Exceptions:	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet s which meet Quantity Limitations a) Passenger, Aircraft, or
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Red Container Cleaning and SECTION 14 TRANSF DOT Transportation Dat Shipping Name: N/A Shipping Symbol: N/A Hazard Class: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specificat A Packaging Authorizati A a) Exceptions: b) Non-bulk Packaging:	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Ref Container Cleaning and SECTION 14 TRANSF DOT Transportation Dat Shipping Name: N/A Shipping Symbol: N/A Hazard Class: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical A Packaging Authorizati A a) Exceptions: b) Non-bulk Packaging:	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet s which meet Quantity Limitations a) Passenger, Aircraft, or
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Ref Container Cleaning and SECTION 14 TRANSF DOT Transportation Dat Shipping Name: N/A Shipping Symbol: N/A Hazard Class: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical A Packaging Authorizati A a) Exceptions: A b) Non-bulk Packaging: A c) Bulk Packaging:	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet s which meet Quantity Limitations a) Passenger, Aircraft, or
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Reg Container Cleaning and SECTION 14 TRANSE DOT Transportation Dat Shipping Name: N/A Shipping Symbol: N/A Hazard Class: N/A	GICAL INFORMATION N/A N/A ion: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for state, and local environmental regulation quirements: N/A Disposal: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical A Packaging Authorizati A a) Exceptions: b) Non-bulk Packaging: A c) Bulk Packaging:	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations a) Passenger, Aircraft, or Railcar:
SECTION 12 ECOLOG Ecotoxicity: N/A Environmental Fate: Environmental Degradat Soil Absorption / Mobilit SECTION 13 DISPOS Disposal: Waste ma all federal Disposal Regulatory Reg Container Cleaning and SECTION 14 TRANSE DOT Transportation Dat	GICAL INFORMATION N/A ition: N/A y: N/A AL CONSIDERATIONS terial may be incinerated / or recycled for a state, and local environmental regulation quirements: N/A Disposal: N/A PORT INFORMATION a (49 CFR 172.101): Not specifical	Mutagenicity: Ames Test Negative Teratogenicity:	(Estimated from the results of testing the constituent components) N/A

SECTION 15 REGULATORY INFORMATION

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: (40 CFR 261): Not classified CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4); CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed SARA 311/312 Codes: N/A SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA TOXIC Chemical (40 CFR 372.05). Not listed

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

State Regulations: Check your states regulations that may specifically list copy machine toner.

SECTION 16 OTHER INFORMATION

Prepared By: N/A Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.