Page 1/3

Printing date 02/14/2019		Revised On 02/14/2019
1 Identification of the substance ar	d manufacturer	
Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier:	ORANGE FLUORESCENT 0000160657 Paint and coating applications. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
Emergency telephone number:	1-800-255-3924	
STOT SE 3 H335 May cause resp	nable aerosol. nder pressure; may explode if heated.	ıre.
Signal word	Danger	
Hazard statements	Extremely flammable aerosol. Contains gas under pressure; may explode if heated	I.
Precautionary statements	May cause respiratory irritation. May cause damage to organs through prolonged or Keep away from heat/sparks/open flames/hot surfac Do not spray on an open flame or other ignition sour Pressurized container: Do not pierce or burn, even a Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep of Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperature Dispose of contents/container in accordance or regulations.	repeated exposure. es No smoking. ce. ifter use. comfortable for breathing. s exceeding 50°C/122°F.
3 Composition/information on ingr	edients	
Chemical characterization: Mixtures		
Chemical Description: Dangerous components: 64742-89-8 VM&P Naphtha 74-98-6 propane 1317-65-3 Calcium Carbonate	This product is a mixture of the substances listed be	18.21% 15.11% 11.75%
106-97-8 n-butane		8.88%
64742-47-8 Mineral Spirits		3.85%
110-19-0 Isobutyl Acetate		3.2%
4 First-aid measures		
After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints Remove contaminated clothing. Wash exposed are Rinse opened eye for several minutes under running Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.	a with soap and water.
Most important symptoms and effects:	Dizziness	
Indication of any immediate medical attention needed:	No further relevant information available.	
attention needed.		
5 Fire-fighting measures		
Extinguishing agents: Special hazards:	CO2, extinguishing powder or water spray. Fight larg	ger fires with water spray.
Protective equipment for firefighters:	A respiratory protective device may be necessary.	
-		
6 Accidental release measures Personal precautions, protective		
equipment and emergency procedures:	Wear protective equipment. Keep unprotected perso	nns away
p:000441001	Use respiratory protective device against the effects	of fumes/dust/aerosol. (Contd. on page 2)
		、 · · · · ·

Printing	date	02/14/2019
I IIIIIII	uale	02/14/2013

Safety Data Sheet

Page 2/3

	Safety Data Sneet
Printing date 02/14/2019	Revised On 02/14/2019
Trado namo: OBANCE EL LORESCENT	
Trade name: ORANGE FLUORESCENT	
	(Contd. of page 1)
Methods and material for	(Conta of page 1)
containment and cleaning up:	Ensure adequate ventilation.
~ 1	· · · · · · · · · · · · · · · · · · ·
7 Handling and starage	
7 Handling and storage	
Precautions for safe handling	Use only in well ventilated areas.
Storage requirements:	Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.
8 Exposure controls/personal prote	ection
Components with limit values that re	guire monitoring at the workplace:
74-98-6 propane	· · · · · · · · · · · · · · · · · · ·
PEL (USA) Long-term value: 1800 mg/	m ³ , 1000 pm
REL (USA) Long-term value: 1800 mg/	
TLV (USA) refer to Appendix F inTLVs	
106-97-8 n-butane	
REL (USA) Long-term value: 1900 mg/	m³ 800 ppm
TLV (USA) Short-term value: 2370 mg	m ³ 1000 ppm
(EX)	···· , ···· PP'''
110-19-0 Isobutyl Acetate	
PEL (USA) Long-term value: 700 mg/m	¹³ , 150 ppm
REL (USA) Long-term value: 700 mg/m	
TLV (USA) Short-term value: 712 mg/r	n ³ . 150 ppm
Long-term value: 238 mg/n	¹³ , 50 ppm
Hygienic protection:	Keep away from foodstuffs and animal feed. Wash hands after use.
	Wash hands after use.
Design and the second second	Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be
	worn. If you suspect overexposure conditions exist, please consult an authority on chemical
	hygeine.
Hand protection:	Nitrile gloves.
	The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles
9 Physical and chemical properties	
Appearance:	Aerosol.
Odor:	Aromatic
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range	Undetermined.
Boiling point:	-44 °C (-47.2 °F)
Flash point:	-19 °C (-2.2 °F)
Flammability (solid, gas):	Extremely flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Lower Explosion Limit:	1.7 Vol %
Upper Explosion Limit:	10.9 Vol %
Vapor pressure:	Not determined.
Relative Density:	Between 0.77 and 0.85 (Water equals 1.00)
Vapor density	Not determined.
Evaporation rate Partition coefficient: n-octonal/water	Not applicable.
Solubility:	Not determined.
Viscosity: VOC content (less exempt solvents):	Not determined.
Water:	24.4 %
40 Otobility and manufactoria	
10 Stability and reactivity	
Reactivity:	Stable at normal temperatures.
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing
Chemical stability:	temperatures. Not fully evaluated.
Possibility of hazardous reactions:	No dangerous reactions known.
Incompatible materials:	No further relevant information available.
Hazardous decomposition:	No dangerous decomposition products known.
<u> </u>	
	(Contd. on page 3)

Contact:

Revised On 02/14/2019

Page 3/3

Tra

Printing date 02/14/2019	Revised On 02/14/2
Trade name: ORANGE FLUORESCENT	
	(Contd. of pag
1 Toxicological information	
LD/LC50 values that are relevant	for classification:
106-97-8 n-butane	
Inhalative LC50/4 h 658 mg/l (rat)	
110-19-0 Isobutyl Acetate	
Oral LD50 4,763 mg/kg (r	
Information on toxicological effect Skin effects:	
Eye effects:	No irritant effect. No irritating effect.
Sensitization:	No sensitizing effects known.
2 Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability: Other information:	The product is degradable after prolonged exposure to natural weathering processes.
other mornation.	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbo (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorina
	solvents.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available.
3 Disposal considerations	
Dispose of in accordance with local	l, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans m
be disposed of responsibly. Do not l Recommendation:	heat or cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
4 Transport information	
UN-Number	UN1950
DOT	N/A
DOT	UN1950
DOT	Consumer Commodity ORM-D Aerosols, flammable
ADR	1950 Aerosols
Transport hazard class(es):	
Class	2.1
Marine pollutant: Special precautions for user:	No Warning: Gases
EMS Number:	F-D,S-U
Packaging Group:	
UN "Model Regulation":	UN1950, Aerosols, 2.1
5 Regulatory information	
SARA Section 355 (extremely haz	ardous substances):
None of the ingredients in this produ	
SARA Section 313 (Specific toxic	chemical listings):
None of the ingredients is listed.	
Toxic Substances Control Act	
(TSCA): Consumer Product Safety	All hazardous ingredients for this product are found on the inventory list of substances.
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemica	
100-41-4 ethyl benzene	
	als known to cause birth defects or reproductive harm:
None of the ingredients in this produ	
CANADIAN ENVIRONMENTAL	
PROTECTION ACT:	All hazardous ingredients for this product appear on the Canadian Domestic Substance List.
EPA:	
110-19-0 Isobutyl Acetate	
6 Other information	
Contact	Begulatory Affairs

Regulatory Affairs