

Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	

Material name	:	A07704BC YCC MICRO BUTTERCREAM 3000 5N3
Material number	:	0000000001042433
Manufacturer or supplier's	det	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nur	nbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, yellow
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	 Category 2 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source.



sion 1.0	Revision Date 05/11/2015	Print Date 06/01/201
	 P251 Pressurized container: Do not pierce or burn, evenuse. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ s P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fr and keep at rest in a position comfortable for breathing POISON CENTER or doctor/ physician if you feel unwere P305 + P351 + P338 IF IN EYES: Rinse cautiously with for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advicattention. Storage: P403 + P233 Store in a well-ventilated place. Keep contightly closed. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with 	
Potential Health Effects	regulation.	
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probat human carcinogen by IARC.	
ACGIH	No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.	
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	
NTP	No component of this product prese	nt at levels greater than or

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
1,1-difluoroethane	75-37-6	>= 50 - < 70
propan-2-ol	67-63-0	>= 20 - < 30
alkanes, C12-14-iso-	68551-19-9	>= 5 - < 10



		•
Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
SECTION 4. FIRST AID MEASU	JRES	
General advice	: Move out of dangerous area. Show this safety data sheet to the Do not leave the victim unattended	
If inhaled	: Consult a physician after significat If unconscious place in recovery p advice.	•
In case of skin contact	 If skin irritation persists, call a phy Wash off immediately with plenty minutes. If on clothes, remove clothes. 	

In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media		Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting		Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products		Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds
Specific extinguishing methods		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information		For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters		Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Prevent product from entering drains.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges Provide sufficient air exchange and/or exhaust in work r Dispose of rinse water in accordance with local and nati regulations. Always replace cap after use.	e rooms.
Conditions for safe storage	BEWARE: Aerosol is pressurized. Keep away from dire exposure and temperatures over 50 °C. Do not open by or throw into fire even after use. Do not spray on flames red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply of the technological safety standards. No smoking.	force or
Materials to avoid	Keep away from oxidising agents and strongly acid or a materials.	lkaline

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	



Version 1.0	Revisior	Revision Date 05/11/2015		Print Date 06/01/2015	
		exposure)	Permissible concentration		
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL	
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH	
		STEL	400 ppm	ACGIH	
		TWA	400 ppm 980 mg/m3	NIOSH REL	
		ST	500 ppm 1,225 mg/m3	NIOSH REL	
		TWA	400 ppm 980 mg/m3	OSHA Z-1	
		TWA	400 ppm 980 mg/m3	OSHA P0	
		STEL	500 ppm 1,225 mg/m3	OSHA P0	

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, yellow

SAFETY DATA SHEET



A07704BC YCC MICRO BUTTERCREAM 3000 5N3

Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: no data available	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: no data available	
Evaporation rate	: not determined	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: <65 hPa	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: slightly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Alkaline earth metals Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Hydrogen fluoride



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
1,1-difluoroethane: Acute inhalation toxicity	:	LC50 mouse: 977,000 mg/l Exposure time: 2 h
propan-2-ol: Acute oral toxicity	:	LD50 Oral rat: 4,396 mg/kg Method: Calculation method
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritatior	า	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
1,1-difluoroethane: propan-2-ol: alkanes, C12-14-iso-:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		



Version 1.0

Revision Date 05/11/2015

Print Date 06/01/2015

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

information

Product:	
Partition coefficient: n- octanol/water	: Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological	: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, t	he empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
cyclohexane	110-82-7	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	udden Release of Pressure Hazard cute Health Hazard ire Hazard	
SARA 302	ARA 302: No chemicals in this material are su porting requirements of SARA Title III, Sectior	•
SARA 313	ARA 313: This material does not contain any components with known CAS numbers that excorreshold (De Minimis) reporting levels establish the III, Section 313.	eed the




Version 1.0	Revision Date 05/11/2015	Print Date 06/01/2015
California Prop 65	WARNING: This product contains a State of California to cause birth defe	
methanol	harm.	67-56-1
The components of this pro	duct are reported in the following inv	ventories:
	SCA Inventory product contains one or several compor	ents that are not on the
	dian DSL nor NDSL.	
AICS Not in	n compliance with the inventory	
	n compliance with the inventory	
	n compliance with the inventory	
IECSC Not in	n compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Warning:
Hazard statements	: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection.



Version 1.0	Revision Date 05/11/2015	Print Date 06/01/201	
	Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.		
	Storage: Store in a well-ventilated place. Keep contain up. Protect from sunlight. Do not expose to temperatur Disposal: Dispose of contents/container in accordance	res exceeding 50 °C/ 122 °F.	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.