

Version 1.0	Revision Date 11/11/2014	Print Date 06/01/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BZ7384 GLASS CLNR RTU R04601 12QT/CS
Material number	:	0000000001041425
Manufacturer or supplier's o	deta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Colour	clear, blue
Odour	pleasant

GHS Classification Flammable liquids GHS Label element	: Category 4
Signal word	: Warning
Hazard statements	: H227 Combustible liquid.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ eye protection/ face protection. Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/container in accordance with local regulation.</li> </ul>

#### **Potential Health Effects**



Version 1.0	Revision Date 11/11/2014	Print Date 06/01/2015
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with un humans	known relevance to
	2-butoxyethanol ethanol	111-76-2 64-17-5
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	t at levels greater than or
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 1 - < 5
ammonia, anhydrous	7664-41-7	>= 0.1 - < 1

## **SECTION 4. FIRST AID MEASURES**

General advice	: Do not leave the victim unattended.
If inhaled	: If breathed in, move person into fresh air. Remove person to fresh air. If signs/symptoms continue, get medical attention.
	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water. Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.</li> </ul>
	If skin irritation persists, call a physician.
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
	Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Gently wipe or rinse the inside of the mouth with water. If symptoms persist, call a physician or Poison Control Centre



Version 1.0	Revision Date 11/11/2014	Print Date 06/01/2015
	immediately. DO NOT induce vomiting unless d physician or poison control center.	
	Keep respiratory tract clear. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia	an unconscious person.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
		Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		Use personal protective equipment.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.
		Neutralise with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.



Version 1.0

Revision Date 11/11/2014

Print Date 06/01/2015

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	Oxidizing agents Do not store near acids. Do not freeze.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200 mg/g	ACGIH BEI
		acid (BAA)		shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		



rsion 1.0	Revision Date 11/11/2014	Print Date 06/01/2015
Remarks: Creatinine		
Personal protective equip	ient	
Respiratory protection	: In case of insufficient ventilation equipment.	on, wear suitable respiratory
Hand protection	<b>-</b>	
Remarks	: The suitability for a specific wo with the producers of the prote	•
Eye protection	: Eye wash bottle with pure wat	er
	Tightly fitting safety goggles	
Skin and body protection	: impervious clothing	
	Choose body protection accor concentration of the dangerou	ding to the amount and substance at the work place.
Hygiene measures	: When using do not eat or drinl	k.
	When using do not smoke. Wash hands before breaks an	d at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid	
Colour	: clear, blue	
Odour	: pleasant	
Odour Threshold	: no data available	
рН	: 10.5 - 11.5	
Melting point/freezing point	: no data available	
Boiling point	: 100 °C	
Flash point	: 61.4 °C Method: closed cup	
Evaporation rate	: 1	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.996 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in hot wat	er
Partition coefficient: n- octanol/water	: no data available	



Version 1.0	Revision Date 11/11/2014	Print Date 06/01/2015
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: 3.6 mm2/s (20 °C)	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

## Skin corrosion/irritation

## Product:

Remarks: May cause skin irritation and/or dermatitis.

## Serious eye damage/eye irritation

## Product:



Version 1.0

Revision Date 11/11/2014

Print Date 06/01/2015

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

2-butoxyethanol: ammonia, anhydrous:

#### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### **Further information**

#### Product:

Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available Bioaccumulative potential

#### Product:

Partition coefficient: n- : Remarks: no data available octanol/water

#### Mobility in soil

no data available

#### Other adverse effects

#### no data available Product:



Version 1.0	Revision Date 11/11/2014	Print Date 06/01/2015	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I		
Remarks	Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).		
Additional ecological information	: no data available		

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

#### International regulation

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**49 CFR** Not regulated as a dangerous good

## Special precautions for user

not applicable

SECTION 15. REGULATORY INFORMATION



Version 1.0

Revision Date 11/11/2014

Print Date 06/01/2015

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, anhydrous	7664-41-7	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, anhydrous	7664-41-7	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 311/312 Hazards : Fire Hazard **SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302: ammonia, anhydrous 7664-41-7 0.1618 % **SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. **California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories: TSCA On TSCA Inventory

IUUA	
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**




Version 1.0

Revision Date 11/11/2014

Print Date 06/01/2015

## Further information



## HMIS III:

HEALTH	0
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

## **OSHA GHS Label Information:**

Signal word Warning: Combustible liquid. Hazard statements Precautionary statements Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/ eye protection/ face protection. Response: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension<sup>™</sup>, Petro<sup>®</sup>, i-Chem<sup>®</sup>, TimeMist<sup>®</sup>, TimeWick<sup>™</sup>, MicrobeMax<sup>®</sup>, Country Vet<sup>®</sup>, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.