

ORM-D

BIC WOELP21

BIC WOTAPP418

Formula: Wite-Out® Correction Pen

MSDS/T203175

Page: 1 of 3

April 1, 1999

**MATERIAL SAFETY DATA SHEET**

**Manufacturer**

Wite-Out Products, Inc.  
145 Southchase Blvd.  
Fountain Inn, SC 29644

**MSDS Preparer:**

SGS U.S. Testing Company, Inc.\*  
Fairfield, NJ 07004  
Tel: (973) 575-5252

\*Specific Technical information  
provided by manufacturer

Date: April 1, 1999

Supersedes: September 29, 1997

Page 1 of 3

Emergency Telephone No.  
800-424-9300 (CHEMTREC)

Information Telephone No.  
(203) 783-2103

**I. PRODUCT INFORMATION**

Identity : Wite-Out® Correction Pen  
Synonyms: Wite-Out® Correction Roller, WP-1  
Chemical Name : Not Available (N/A)  
Chemical Family : N/A  
CAS Registry Number : N/A  
DOT Shipping Name : Consumer Commodity (As packaged for retail sale)  
DOT Hazard Class : ORM-D (As packaged for retail sale)

**II. HAZARDOUS INGREDIENTS**

<u>Component(s)</u>	<u>%</u>	<u>OSHA PEL</u>	<u>Hazard Information</u>	
			<u>ACGIH TLV</u>	<u>OTHER S</u>
Petroleum Naphtha (CAS #64742-48-9)	40-50	400 ppm	400 ppm	

**III. PHYSICAL AND CHEMICAL CHARACTERISTICS**

Boiling Point, °F : 204-237 (estimated)  
Vapor Pressure (mm Hg) : N/A  
Solubility in Water : N/A  
Appearance and Odor : Free flowing liquid with petroleum solvent odor  
Specific Gravity, (H<sub>2</sub>O = 1) : 1.25 (estimated)  
Evaporation Rate (Butyl Acetate = 1) : N/A  
pH : N/A

**IV. FIRE AND EXPLOSION HAZARD DATA**

Flammable Liquid : Can release vapors that form flammable mixture at or above flash point.  
Flash Point (Method Used) : 22-26°F (Seta Flash Closed Cup)  
Flammability Limits in Air, LEL : 1.7  
UEL : 12.3  
Extinguishing Media for Fires : CO<sub>2</sub>, Foam, Dry Chemical

regulations.

---

**VII. PRECAUTIONS FOR SAFE HANDLING AND USE (CONT.):**

---

- Storage and Handling Recommendations : Store and transport in closed container. Store in ventilated area. Avoid heat, fire and fumes.
- Other Precautions : Keep away from children.

---

**VIII. CONTROL MEASURES**

---

- Respiratory Protection : NIOSH/MSHA approved respirator with organic vapor cartridge if exposure limits are exceeded when handling bulk. None necessary under normal use conditions.
- Ventilation : [ ] Local [X] Mechanical [ ] Special [ ] Other
- Protective Gloves : Chemical resistant gloves when handling bulk. None necessary under normal use conditions.
- Eye Protection : Not required except when handling bulk.
- Other Protection Equipment or Clothing : None required.
- Work Hygiene Practice : Standard good industrial hygiene practice recommended.

---

**IX. REGULATORY INFORMATION**

---

- California Proposition 65 : This product complies with the labeling requirement of the California Safe Drinking Water and Toxic Enforcement Act of 1986.
- TSCA : The components in this product are listed on the TSCA inventory.
- Others : This product does not contain chemicals known to deplete the ozone layer.

Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, (references to Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, including its divisions, affiliates, and subsidiaries), Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.



**IV. FIRE AND EXPLOSION HAZARD DATA (CONT.)**

---

- Special Fire Fighting Procedures : Flammable liquid. Wear self-contained breathing apparatus.  
Unusual Fire and Explosion Hazards : Toxic combustion gas may be formed as decomposition products.

**V. REACTIVITY DATA**

---

- Stability :  Unstable  Stable  
Conditions to Avoid : Heat source, sparks or flame.  
Materials to Avoid : Strong oxidizing or reducing agents.  
Hazardous Decomposition Products : Toxic fumes or gases.  
Hazardous Polymerization Products :  May Occur  May Not Occur

**VI. HEALTH HAZARD DATA**

---

<u>Carcinogen or Potential Carcinogen</u>	<u>NTP:</u>	<u>IARC:</u>	<u>OSHA:</u>
Health Hazard (Acute or Chronic)	N/A	N/A	N/A
Skin :	Not anticipated to be a primary skin irritant based upon available data.		
Eyes :	Not anticipated to be a primary eye irritant based upon available data.		
Ingestion :	Human ingestion Hazard not known.		
Inhalation :	Not hazardous under normal use conditions.		
Effect of Over Exposure :	Central nervous system depression; likely route - inhalation. Deliberately concentrating and inhaling content can lead to unconsciousness and/or death.		
Medical Conditions Generally Aggravated by Exposure :	Existing pulmonary or dermal condition.		

**Emergency And First Aid Procedures**

---

- Skin : Wash with soap and water. Consult physician if irritation occurs and persists.  
Eyes : Wash with water. Consult physician if irritation occurs.  
Ingestion : Consult physician at once. Do not induce vomiting.  
Inhalation : Removing victim from exposure. Alert emergency medical personnel. Administer artificial respiration if breathing is stopped.

**VII. PRECAUTIONS FOR SAFE HANDLING AND USE**

---

- Spill or Leak Procedures : Handle as flammable liquid and dispose of properly. Ventilate area.  
Disposal Recommendations : Dispose in accordance with local, state, and federal